

LGC Contest Proficiency Testing Scheme (Soils, liquids and leachates)

| Contest Round | 90 | | 93 | | 95 | |
|---------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Location Code | A | B | A | B | A | B |
| Number of results | 69 | 162 | 123 | 218 | 32 | 264 |
| Satisfactory | 54 | 154 | 109 | 208 | 29 | 239 |
| Questionable | 8 | 5 | 4 | 7 | 1 | 16 |
| Unsatisfactory | 7 | 3 | 10 | 3 | 2 | 9 |
| | | | | | | |
| % Z < ± 3 | 90 | 98 | 92 | 99 | 94 | 97 |

LGC Aquacheck Proficiency Testing Scheme (Waters)

| Aquacheck Round | 467 | 470 | 474 | 477 | 478 | | 479 | 482 |
|---------------------|-----------|------------|------------|-----------|------------|-----------|-----------|------------|
| Location Code | B | A | A | B | A | B | B | A |
| Number of results | 48 | 24 | 24 | 115 | 44 | 41 | 53 | 24 |
| Satisfactory | 43 | 19 | 23 | 108 | 41 | 37 | 51 | 24 |
| Questionable | 3 | 5 | 1 | 5 | 3 | 2 | 1 | 0 |
| Unsatisfactory | 2 | 0 | 0 | 2 | 0 | 2 | 1 | 0 |
| | | | | | | | | |
| % Z < ± 3 | 96 | 100 | 100 | 98 | 100 | 90 | 98 | 100 |

HSL AIMS/AISS Asbestos Proficiency Testing Schemes (Qualitative, Quantitative, Identification)

| Round | AISS Quant S 010 | AISS Qual S 011 | AISS Qual S 012 | ID AIMS 51 | ID AIMS 52 | ID AIMS 53 | ID AIMS 54 | ID AIMS 55 |
|----------------|------------------|-----------------|-----------------|------------|------------|------------|------------|------------|
| Location Code | B | B | B | B | B | B | B | B |
| Satisfactory % | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

Location codes correspond to sites as detailed on UKAS Accreditation Schedule for i2 Analytical, UKAS Accreditation No 4041.